

Quantum Phases of a Multi-component Bose Gas in an Optical Lattice

K. Ziegler, Augsburg *

- One-component Bose Gas:
BEC \leftrightarrow Mott insulator
- Two-component Bose Gas:
"magnetic" phases
- N-component Bose Gas:
exactly soluble Models

* with Ch. Noseley
C. Ates

Motivation: condensed matter phys.
phases and phase transitions in a
Fermi gas: ($\approx 10^{23}$ particles)

- Mott insulator
- metal
- superconductor
- magnetic phases
- orbital phases ("orbital order")
- flux phases (?)
- phases related to disorder
(Anderson local.)
(glass phases)

Bose gas: ($\approx 10^4 \dots 10^7$ particles)

- BE condensate

Quantum Phases in a Bose Gas

Bose-Einstein Condensate

phase coherent state:

$$\langle a_{rt} a_{r't'}^\dagger \rangle \neq 0$$

local particle number fluctuates

Mott Insulator

phase fluctuates incoherently (gap)

local particle number is fixed:

$$\langle a_{rt}^\dagger a_{rt} \rangle = \text{integer}$$


Spin-Ordered State

spin is correlated:


$$\langle a_{rt\sigma} a_{rt\sigma'}^\dagger - a_{rt\sigma'} a_{rt\sigma}^\dagger \rangle \neq 0 \quad (\sigma' \neq \sigma)$$

o 1


SF




MI



AFM



FM



One-component Bose Gas

a) Bose-Hubbard Model: $H = H_0 + H_1$

$$H_0 = \sum_{\mathbf{r}} [-\mu n_{\mathbf{r}} + U n_{\mathbf{r}}(n_{\mathbf{r}} - 1)], \quad n_{\mathbf{r}} = a_{\mathbf{r}}^\dagger a_{\mathbf{r}}$$

$$H_1 = -t \sum_{\langle \mathbf{r}, \mathbf{r}' \rangle} a_{\mathbf{r}}^\dagger a_{\mathbf{r}'}$$

b) Hard-core Bose Gas (projection to $n_{\mathbf{r}} = 0, 1$):

$$H_{hcb} = -t \sum_{\langle \mathbf{r}, \mathbf{r}' \rangle} A_{\mathbf{r}}^\dagger A_{\mathbf{r}'} - \mu \sum_{\mathbf{r}} A_{\mathbf{r}}^\dagger A_{\mathbf{r}} \quad (A^{\dagger 2} = 0)$$

- Universität Augsburg -

3

One-component Bose Gas

Hamiltonian:

$$H = \int \left(\frac{\hbar^2}{2m} \nabla \Psi^\dagger \nabla \Psi + V \Psi^\dagger \Psi \right) d^3 r + \frac{1}{2} U \int \Psi^\dagger \Psi^\dagger \Psi \Psi d^3 r$$

Dilute Bose gas

mean-field theory: wave function $\Psi_{MF}(r_1, r_2, \dots, r_N) = \prod_j \Psi_0(r_j)$

$$\langle H \rangle_0 = N \int \left(\frac{\hbar^2}{2m} |\nabla \Psi_0|^2 + V |\Psi_0|^2 \right) d^3 r + \frac{N(N-1)}{2} U \int |\Psi_0|^4 d^3 r$$

minimization yields the Gross-Pitaevskii Eq.:

$$\left(-\frac{\hbar^2}{2m} \nabla^2 + V + NU |\Psi_0|^2 \right) \Psi_0 = \mu \Psi_0$$

μ : Lagrange multiplier for the normalization of Ψ_0

Lattice Systems

Grand-canonical Ensemble

$$Z = \text{Tr} e^{-\beta H}$$

Hard-core Bosons:

Mean-field Approximation: $|\Psi_{MF}\rangle = \prod_{\mathbf{r}} \left[\cos \eta_{\mathbf{r}} + e^{i\psi_{\mathbf{r}}} \sin \eta_{\mathbf{r}} A_{\mathbf{r}}^{\dagger} \right] |0\rangle$

$$\langle \Psi_{MF} | H_{hcb} | \Psi_{MF} \rangle = -\sin^2 \eta \sum_{\langle \mathbf{r}, \mathbf{r}' \rangle} t \cos^2 \eta \left[\cos(\psi_{\mathbf{r}} - \psi_{\mathbf{r}'}) + \sum_{\mathbf{r}} \mu \right]$$

ground state: $\cos(\psi_{\mathbf{r}} - \psi_{\mathbf{r}'}) = 1$

$$\sin^2 \eta = \begin{cases} 0 & \text{for } \mu \leq -2dt \\ 1/2 + \mu/4dt & \text{for } -2dt < \mu < 2dt \\ 1 & \text{for } 2dt \leq \mu \end{cases}$$

- Universität Augsburg -

8

Spin-1/2 Representation of the Hard-core Bose Gas

$$S^x = (A + A^{\dagger})/2, \quad S^y = i(A - A^{\dagger})/2, \quad S^z = A^{\dagger}A - 1/2$$

XY model with a magnetic field in z direction:

$$H_{hcb} = -t \sum_{\langle \mathbf{r}, \mathbf{r}' \rangle} (S_{\mathbf{r}}^x S_{\mathbf{r}'}^x + S_{\mathbf{r}}^y S_{\mathbf{r}'}^y) - \mu \sum_{\mathbf{r}} S_{\mathbf{r}}^z$$

Grand-canonical Ensemble with Two Sites

$$|\Psi_0\rangle = \begin{cases} |0,0\rangle & \text{for } \mu < -t \\ (|0,1\rangle + |1,0\rangle)/\sqrt{2} & \text{for } -t < \mu < t. \\ |1,1\rangle & \text{for } \mu > t \end{cases}$$



Two-component Bose-Hubbard Model

$$H_0 = \sum_{\mathbf{r}} [-\mu n_{\mathbf{r}} + U n_{\mathbf{r}}(n_{\mathbf{r}} - 1)] , n_{\mathbf{r}} = a_{\mathbf{r},\uparrow}^\dagger a_{\mathbf{r},\uparrow} + a_{\mathbf{r},\downarrow}^\dagger a_{\mathbf{r},\downarrow}$$

$$H_1 = - \sum_{\langle \mathbf{r}, \mathbf{r}' \rangle} \sum_{\sigma, \sigma'} t_{\sigma, \sigma'} a_{\mathbf{r}, \sigma}^\dagger a_{\mathbf{r}', \sigma'} a_{\mathbf{r}', \sigma'} a_{\mathbf{r}, \sigma}$$

ground states for $N = 0, 1$ particles:

$$|\Psi_0\rangle = \begin{cases} |0, 0\rangle \\ (|0, \uparrow\rangle + |\uparrow, 0\rangle)/\sqrt{2}, & \text{for } \mu < -t \\ (|0, \downarrow\rangle + |\downarrow, 0\rangle)/\sqrt{2} & \text{for } -t < \mu < t \end{cases}$$


$-t < \mu < t$: (degenerate) ferromagnetic states
degeneracy can be lifted by an infinitesimal magnetic field

- Universität Augsburg -

5

Superfluid Order Parameter

$$\langle \Psi_{MF} | A_{\mathbf{r}} | \Psi_{MF} \rangle = e^{i\phi_{\mathbf{r}}} \cos\eta \sin\eta$$



- Universität Augsburg -

9

Effective Hamiltonian

$$H_{eff} = -((\Delta E)^2 + P_0 H_1^2 P_0)^{1/2}, \quad \Delta E = [E(0) + E(2)]/2 - E(1) = U$$

two-component Bose-Hubbard model (NO spin flip):

hard-core Bose representation:

$$-P_0 H_1^2 P_0 = - \sum_{\langle r,r' \rangle} \left[t_1 t_{\uparrow} A_r^{\dagger} A_{r'} + \frac{t_1^2 + t_1^2}{2} (\mathbf{1} - A_r^{\dagger} A_r) A_{r'}^{\dagger} A_{r'} \right] \quad \begin{array}{l} |\psi\rangle \rightarrow |0\rangle \\ |\uparrow\rangle \rightarrow |1\rangle \end{array}$$

spin-1/2 representation:

$$-t_1 t_{\downarrow} \sum_{\langle r,r' \rangle} \left[S_r^x S_{r'}^x + S_r^y S_{r'}^y \right] + \frac{t_1^2 + t_1^2}{2} \sum_{\langle r,r' \rangle} S_r^z S_{r'}^z$$

- Universität Augsburg -

11

Continued Fraction of the Projected System

Hilbert space for a lattice with N sites and N particles

If P_{2k} projects on states with k pairs of empty/doubly-occupied sites The resolvent

$$P_0(z - iH)^{-1} P_0 \quad (1)$$

satisfies the recurrence relation ($k \geq 0$):

$$P_{2k}(z - iH)_{2k-1}^{-1} P_{2k} = (P_{2k}(z - iH) P_{2k} + P_{2k} H P_{2k+2} (z - iH)_{2k+1}^{-1} P_{2k+2} H P_{2k})_{2k}^{-1}$$

1) Iteration yields continued-fraction representation of (1)

2) Truncation of the CFR gives effective Hamiltonian


$$P_0(z - iH)^{-1} P_0 \approx (z - iH_{eff})_0^{-1}$$

- Universität Augsburg -

10

b) Dimerized ansatz:

$$|\Psi_D\rangle = \prod_{\langle r,r'\rangle \in D} \frac{1}{\sqrt{2}} (e^{i\varphi_r} A_r^\dagger + e^{i\varphi_{r'}} A_{r'}^\dagger) |0\rangle$$



where D is a set of dimers $\{\langle r, r' \rangle\}$.

$$-\langle \Psi_D | P_0 H_1^2 P_0 | \Psi_D \rangle = -\frac{t_\uparrow t_\downarrow}{2} \sum_{\langle r,r'\rangle \in D} \cos(\varphi_r - \varphi_{r'}) - \frac{t_\uparrow^2 + t_\downarrow^2}{4} \sum_{\langle r,r'\rangle}$$

ground state energies: $E_D \leq E_i \leq E_h$ (first '=' for $t_\uparrow t_\downarrow = 0$)

superfluid order parameter: $\langle \Psi_D | a_r | \Psi_D \rangle = 0$

spin order parameter: $\langle \Psi_D | A_r | \Psi_D \rangle = 0 \longrightarrow$ spin liquid ?

- Universität Augsburg -

13

Mean-field Approximation

a) Product ansatz:

$$|\Psi_{MF}\rangle = \prod_r \left[\cos \eta_r + e^{i\psi_r} \sin \eta_r A_r^\dagger \right] |0\rangle$$

$$-\langle \Psi_{MF} | P_0 H_1^2 P_0 | \Psi_{MF} \rangle = - \sum_{\langle r,r'\rangle} \left(t_\uparrow t_\downarrow \cos(\psi_r - \psi_{r'}) \cos \eta_r \sin \eta_r \cos \eta_{r'} \sin \eta_{r'} + \frac{t_\uparrow^2 + t_\downarrow^2}{2} \cos^2 \eta_r \sin^2 \eta_{r'} \right)$$

uniform solution: $|\Psi\rangle_h : \sin^2 \eta_r = \cos^2 \eta_{r'} = 1/2$

staggered solution: $|\Psi\rangle_s : \sin^2 \eta_r = 1, \cos^2 \eta_{r'} = 1$

ground-state energies: $E_i \leq E_h$ ('=' for $t_\uparrow = t_\downarrow$)

superfluid order parameter: $\langle \Psi_{MF} | a_r | \Psi_{MF} \rangle_h = 0$

spin order parameter: $\langle \Psi_{MF} | A_r | \Psi_{MF} \rangle_h = \langle \Psi_{MF} | a_{r,\downarrow}^\dagger a_{r,\uparrow} | \Psi_{MF} \rangle_h = e^{i\psi_r} \cos \eta_r \sin \eta_r$

- Universität Augsburg -

12

N-Component Bose Gas

1) without spin flip

$$H = -\frac{t}{N} \sum_{\langle r, r' \rangle} \sum_{z=1}^{N^2} A_{r,z}^+ A_{r',z}$$

(particles "carry spin" z)

Bose operator:

$$A_z^+ A_{z'}^+ = A_{\alpha\beta}^+ A_{\alpha'\beta'}^+ = (1 - \delta_{\alpha\alpha'}) (1 - \delta_{\beta\beta'}) A_{\alpha\beta}^+ A_{\alpha'\beta'}^+$$

2) with spin flip


$$H = -\frac{t}{N} \sum_{\langle r, r' \rangle} \sum_{z, z'=1}^N A_{r,z}^+ A_{r',z'}$$

Bose operator:



$$A_z^+ A_{z'}^+ = (1 - \delta_{zz'}) A_z^+ A_{z'}^+$$

Hard-Core Bosons in $d=1$

1D HC Bosons $\xrightarrow{\text{Pauli principle}}$ 1D free fermions



$T=0$ -phase diagram




Statistics $d \geq 3$

hard-core interaction \leftrightarrow Pauli principle

Problem: Exchange of two particles


wave function:

bosons




+1

fermions



-1

pairs of fermions



$(-1)^2 = +1$

gauge field

Effective Field Theories $Z = \text{Tr} e^{-\beta H}$

1) without spin flip: $u_{xx'}$: real matrix field

$$Z = \int \exp\left\{-N \left[\sum_{x,x'} \frac{(u_{xx'})^2}{\mathcal{U}_{xx'}} - 2 \log \det(1+u) \right]\right\} D[u]$$

symmetry: $u \rightarrow O u O^T$

2) with spin flip: ψ_x, χ_x : complex scalar field

$$Z = \int \exp\left\{-N \left[(\psi, (1+u)^{-1} \psi^*) + (\chi, \chi^*) - \sum_x \log(\mathcal{U}^{-1} (\psi_x + i\chi_x)(\psi_x^* + i\chi_x^*)) \right]\right\} D[\psi, \chi]$$

symmetry: $U(1): \begin{cases} \psi_x \rightarrow e^{i\alpha} \psi_x \\ \chi_x \rightarrow e^{i\alpha} \chi_x \end{cases}$

1) and 2) agree for $N=1$.





Figure 1: Condensate density at $N = 5$. The (positive) corrections to the total density are small compared to the correction to n_0 .

$T = 0$ -Phase Diagram



Spin Order $N \sim \infty$

1) without spin flip


$$\langle A_2^+ A_{2'} \rangle \sim c_{2,2'}^2 \quad (\text{Mott insulator})$$

2) with spin flip

$$\langle A_2^+ A_2 \rangle \sim \begin{cases} s & s < 1 \\ 1 & s \geq 1 \end{cases}$$

$2 \neq 2'$:

$$\langle A_2^+ A_{2'} \rangle \sim \begin{cases} 0 & s < 1 \\ 1 - \frac{1}{s} & s \geq 1 \end{cases}$$



Conclusions

a Bose gas provides a wide range of phenomena depending on density, external potentials and internal degrees of freedom

dilute Bose gas:

Gross-Pitaevskii Equation: BE condensation incl. vortices

Bose gas in an optical lattice:

Bose-Hubbard model or hard-core Bose gas: quantum statistics phase transition to a Mott insulator

multi-component Bose gas:

“correlation” physics: complex spin structures